
## BEST AVAILABLE COPY

(12) INTERNATION, PPLICATION PUBLISHED UNDER THE PATENT



(19) World Intellectual Property Organization
International Bureau



### 

(43) International Publication Date 23 August 2001 (23.08.2001)

**PCT** 

## (10) International Publication Number WO 01/61443 A2

(51) International Patent Classification7:

G06F 3/00

- (21) International Application Number: PCT/GB01/00665
- (22) International Filing Date: 16 February 2001 (16.02.2001)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 0003943.8

18 February 2000 (18.02.2000) GB

- (71) Applicant (for all designated States except US): VTECH MOBILE LIMITED [GB/GB]; The Friary, Rickfords Hill, Aylesbury, Buckinghamshire HP20 2RT (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): DE BAST, Christophe [FR/GB]; 15 Briars Close, Aylesbury, Buckinghamshire HP19 9PN (GB).
- (74) Agent: LLOYD, Patrick, Alexander, Desmond; Reddie & Grose, 16 Theobalds Road, London WC1X 8PL (GB).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**Y** 

(54) Title: MOBILE TELEPHONE WITH IMPROVED MAN MACHINE INTERFACE

(57) Abstract: The present invention envisages a GSM mobile telephone in which a line of icons is displayed on a display. As a user navigates through the displayed line of icons, the positions of the icons alter so that the selectable icon moves to the head of the line. This approach makes it very clear (i) which icon is selectable at any time and (ii) where that icon sits in relation to other icons at the same functional level (e.g. only first level icons will be present in one line). First level icons typically relate to the following functions: phonebook; messages; call register; counters; call diversion; telephone settings; network details; tools; voice mail and IrDA activation.

WO 01/61443 PCT/GB01/00665

#### Mobile Telephone with improved man machine interface

#### Field of the Invention

This invention relates to a mobile telephone and in particular to a mobile telephone with an improved man machine interface. The term 'mobile telephone' used in this patent specification should be expansively construed to cover any kind of mobile device with communications capabilities and includes radio telephones, smart phones, communicators, and wireless information devices. It includes devices able to communicate using not only mobile radio such as GSM or UMTS, but also any other kind of wireless communications system, such as Bluetooth.

15

20

25

10

5

#### Description of the Prior Art

One of the problems facing the designers of mobile telephone user interfaces (often called 'man machine interfaces' or 'MMIs') is how to allow the user to comprehend the internal status of the mobile telephone. For example, to select or initiate a function (e.g. to open an address book function, enter a PIN security number or to alter the ring melody) a user has to understand that the status of the telephone is such that the function can be selected or initiated. A closely related problem is how to enable a user to confidently alter the internal status of the phone. This process can be thought of as the problem of how to enable a user to confidently navigate through the feature set of the telephone. Because many quite intricate operations have to be mastered early on for most mobile telephone users (setting security codes, altering ring melodies etc.), it is particularly important to facilitate the task of navigating to and activating features in the required way.

In addition, mobile telephones offer a very wide (and ever increasing) range of functions.

The design of an effective MMI which can be (a) easily navigated by novices yet is (b) flexible enough to enable a large number of functions to be included, is a very

5

10

15

20

25

30

challenging task. In fact, it is widely acknowledged that few mobile telephone owners regularly use any but the most basic telephone features because current MMIs are difficult to fully understand. Hence, the technical problem of effectively enabling the user to understand the internal status of the mobile telephone has to date been inadequately addressed.

One of the reasons why many conventional MMIs are inadequate is that mobile telephones are small handheld devices which generally include small display screens. The size of display screens, even for PDA type devices, is far too small to handle a rich and effective MMI, such as the Apple Macintosh Operating System MMI. As a consequence, MMI designers have tended to use text based MMIs, even though the superiority of graphical user interfaces has long been accepted in the desktop computing environment.

Conventionally, the small display size has also meant that several hierarchies of functions have to be offered to a user: the interface can be thought of as having many layers, with the user having to first locate the correct top level function and then, within that function, progressively drill down (sometimes through 3 or more layers) to complete the required task. Hence, for example, if a user wishes to enter a new telephone number into an address book stored on the mobile phone, he has to locate a top level function, typically called 'Address Book'. He then selects that function and is presented with a list of second level functions relevant to the 'Address book' top level function. These second level functions typically include options for reading the contents of the Address Book, entering a new number and password protecting access to the address book. Say the user selects the option for entering a new number; he then is presented with a third level screen display asking him to complete various fields with the contact information.

With pure text based, multi-level MMIs, it can be very difficult for users to build up an understanding of the structure of the MMI; without understanding, it is very difficult to navigate extensively.

Very recently, some manufacturers have introduced GSM mobile telephones which are beginning to move away from the text only MMI. For example, the Philips Xenium telephone can display several icons on screen: Nokia and Mitsubishi have GSM telephones which can display one icon on a screen at a time. Reference may also be made to some PC operating systems and applications, in which a contextual help system is used: when the user places the mouse arrow over an icon, folder etc. for more than a couple of seconds, a help call-out or balloon appears with an explanation of the function of the icon, folder etc.

10

15

5

It is particularly important that the physical device(s) used to control navigation are not only easy to operate but also that the way in which they are controlled intuitively matches up with the navigation tasks to be accomplished. Conventionally, these navigation devices are 4 separate buttons (for example, for Up, Down, Accept and Reject). A user has to carefully select the correct button. That generally means that the user has to take his eyes off the screen. In some devices, a single rocker switch will overlie 4 separate buttons. But rocker switches can also require a user to take his eyes off the screen and instead concentrate on selecting and using the navigation button correctly. That in turn makes if far harder, especially for the inexperienced user, to follow and concentrate on the MMI. Where the MMI is difficult to follow anyway (as with text based, multi-level conventional GSM telephones, for example), navigation devices which require a user to take his eyes off the screen can be difficult to use.

25

30

20

#### Statement of the Invention

In accordance with a first aspect of the present invention, a mobile telephone comprises:

(i) computing means for storing representations of one or more icons; and a

(ii) display operable to be controlled by the computing means to display one or more icons;

characterised in that the display is operable to show an array of several icons, the arrangement of the array altering as a user navigates through the array in a manner that visually indicates that the status of the computing means is such that the function associated with a single icon can be selected or initiated.

5

10

15

20

25

30

Typically, there will be an array which is a linear array of icons. A single icon is then distinguishable from the other icons by, for example, being at a prominent position within the array, such as at one end or the middle of the array. A circular array is also a possible option. The function associated with that single icon can be readily selected or initiated using a navigation tool such as a joystick. The icon itself can be thought of as being 'selectable'. The selectable icon may also have displayed in proximity to it a word or words describing the function of the icon to (i) give it even greater prominence and (ii) to make its function explicitly clear.

The icons in the array may be animated so that their positions on the display alter as a user navigates through them. For example, the icons in the linear array can be animated to appear to move forward along the line of the array as different icons become selectable, i.e. as the user navigates along the line.

Preferably, selecting an icon in an array causes some or all of the other icons in the array to alter in appearance and/or position. The alteration may be an animation in which the other icons appear to twist or revolve and turn into different icons. This may act as an indication that one is changing levels (e.g. from a top level function to a second level function) and aids understanding of the MMI.

The present invention envisages a GSM mobile telephone embodiment in which a line of icons is displayed on a display: one of the icons is clearly selectable by for example being at the head of the line and being the only icon with explanatory text associated with it,

typically in a balloon format. As a user navigates through the displayed line of icons, the identity of the selectable icon changes: this is reflected in the positions of the icons altering so that the selectable icon moves to the head of the line. This approach makes it very clear (i) which icon is selectable at any time and (ii) where that icon sits in relation to other icons at the same functional level (e.g. only first level icons will be present in one line). First level icons typically relate to the following functions: phonebook; messages; call register; counters; call diversion; telephone settings; network details: tools; voice mail and IrDA activation.

A zoom (i.e. magnification) function is preferably also provided by which a user can cause the size of the icon and/or the word or words explaining the function of that icon displayed on the display to be altered. The zoom function may be controlled by a volume up and a volume down button.

In one embodiment, the data representing an icon is stored in memory; the same data can be used to display the icon at normal size (typically 16x16 pixels) and also at one or more different sizes, such as an extended size (64x64). This scalability removes the need to store multiple representations in memory and therefore saves memory; instead a software algorithm alters the displayed size of the icon.

20

25

30

5

In another aspect, there is provided a mobile telephone comprising:

computing means for storing representations of one or more icons; and a display operable to be controlled by the computing means to display one or more icons;

characterised in that the display is operable to show an array of several icons, the appearance and/or position of some or all of the icons in the array altering as a user selects an icon to visually indicate that the status of the computing means is changing.

The alteration may be an animation in which some or all of the icons appear to twist or revolve and turn into different icons.

5

10

15

20

25

30

In a final aspect, there is provided a mobile telephone in which the idle screen alternates with an alert screen, each screen appearing for a pre-determined time. This leads to the layout of the idle screen not being cluttered with any kind of alert messages: conventionally, an alert message will be included together with the idle screen (e.g. '1 missed call'; 'You have a SMS'), but that clutters the screen and can obscure important branding information. In the present embodiment, the idle screen is shown for 5 seconds, and then an alert screen for 5 seconds if there are any alerts. The screens alternate until the user reads or reviews the alert screen in some way. Accessing the alert screen can take the user directly to the menu(s) which allow the user to respond to the alert. Hence, if the alert is that a SMS message has come in, once the user has seen that alert screen, is he offered a direct route into reading the message and/or responding to the message.

#### Brief Description of the Drawings

The invention will be further described with reference to the accompanying drawings in which:

Figure 1 is a plan view of a mobile telephone in accordance with the present invention:

Figure 2 is a side view of a mobile telephone in accordance with the present invention;

Figure 3 is a plan view of the possible movement which a joystick may make;

Figure 4 is a screen shot showing a top level screen;

Figure 5 is a screen shot showing the top level screen displayed when a user navigates down one step through the top level screen functions shown in figure 4;

Figure 6 is a screen shot showing the second level screen displayed when a user navigates one step deeper into the Phone Book function shown as selected in Figure 4:

5

Figure 7 is a screen shot showing the second level screen displayed when a user navigates down one step through the second level screen functions shown in Figure 6 (i.e. down through the Phone Book functions);

10

Figure 8 is a screen shot showing the second level screen displayed when a user navigates down one further step through the second level Phone Book functions shown in Figure 7;

15

Figure 9 is a screen shot showing the second level screen displayed when a user navigates up one step through the second level Phone Book functions shown in Figure 8.

Figure 10 is a schematic showing the effect of zooming on icon size;

20

Figure 11 is a schematic showing the effect of zooming on menu text size;

\_\_\_

Figure 12 is a schematic showing the effect of zooming on message text size;

25

30

Figure 13 is a screen shot showing how the idle screen alternates with the alert screen.

#### **Detailed Description**

Referring now to Figure 1, a GSM mobile telephone is shown generally at 1. It includes the conventional features of a display 2, a start call button 4, an end call button 3 and

numeric keys indicated generally at 6. Start call button 4 is commonly labelled with a green telephone handset shown off-hook or marked with the word 'SEND'. End call button 3 is commonly labelled with a red telephone handset shown on-hook or marked with the word 'END'. In addition, it also includes a joystick 5, which can be more clearly seen in figure 2 as comprising a short cylindrical member up standing from the front face of the telephone 1. As shown in Figure 3, the joystick can be readily pushed by a user in one of 4 different directions. Joysticks of this kind are available from ITT Canon (ref. TPA 413G).

5

30

The MMI allows fast, intuitive navigation to take place. That is best appreciated from Figures 4 to 9. Figure 4 is a screen shot showing a top level screen; the Phone Book icon is readily understood by a user to have been reached since it is (a) at the top of its line, (b) is coupled with the cartoon style call out including the explanatory text 'Phone Book' and (c) no other icons include explanatory text. Hence the user is informed that the internal status of the telephone is such that Phone Book functions can be selected. (From a theoretical perspective, the mobile telephone can be though of as a state machine; effectively representing the actual state to a user and enabling the user to alter the condition of the state machine is the task of the MMI).

In figure 4, the next icon down the line is a telephone with an arrow. This represents the 'Diversion' function. To reach the Diversion function, the user nudges the joystick down. Figure 5 shows the result: the Diversion function is shown at the top of the line, accompanied by a call out balloon stating 'Diversion'. Coupling the downwards nudge of the joystick with moving downwards through a line of icons makes navigation easily understood and readily achieved without any need for the user to takes his eyes off the display.

Returning to Figure 1, the Phone Book function can be selected by simply nudging the joystick to the right; this takes the user to the Phone Book related features depicted in Figure 6 - a second level set of functions/features. The user is going deeper into the

levels now, so that a nudge to the right is a natural way of expressing this movement. Each of the four top level icons appear to twist around through 180 degrees when the joystick is nudged to the right. Four icons appear to continue twisting around, but these are now icons of the second level functions related to the Phone Book function. These 4 new icons appear to rotate through 180 degrees to yield the Figure 6 display.

Figure 6 shows that the 'Consult' feature has been reached since the associated icon plus call out is at the top of the line. The 'Consult' feature can be selected simply by nudging the joystick to the right again. A phone book would then be displayed. If a different Phone Book feature is needed, then the user has to navigate down the list of second level Phone Book icons. One nudge down of the joystick takes the user to the display shown in figure 7: the feature 'Draft' has now moved to the top of the line and is accompanied by the call out 'Draft'. This icon, plus the other icons further down, appear to move up the line. The 'Draft' function can be readily selected with a nudge to the right. A further nudge down however takes the user down the line of Phone Book features to yield the Figure 8 display, in which the 'Own number' feature has been reached. Moving up through the second level Phone book features is achieved through nudging the joystick up, as shown in Figure 9. Returning to the top level screen (i.e. as depicted in figure 4) is achieved through nudging the joystick to the left.

20

25

30

5

10

15

Appendix I shows a more comprehensive list of the icons and/or words displayed on the display 2 for different levels. It therefore lists the features and functions which can be navigated to and from using the joystick. As explained above, a nudge to the right takes one down into a deeper level of the system (e.g. across a row from top to second level). The higher level icons twist around to reveal the icons of the lower level functions. Nudging left takes one up a level (e.g. across a row from third level to second level). The lower level icons twist around to reveal the icons of the higher level functions. Nudging down takes one down through the items at the same level (down a column) that are associated with the same immediately higher level function. The icons in the line appear to move upwards. Nudging up takes one up through the items at the same level (up a

column) that are associated with the same immediately higher level function. The icons in the line appears to move downwards.

A zoom function is also provided by which a user can cause the size of the icon and/or the word or words explaining the function of that icon displayed on the display to be altered. The zoom function is controlled by a volume up (Figure 1, at 7) and a volume down button (Figure 1, at 8). The user can zoom in and out as shown in Figure 10; in addition the user can select that the word or words explaining the function of one or more icons is/are not displayed (Figure 10. bottom right). This gives an uncluttered look to the display which can be more appealing to a more experienced user. Also, it liberates screen space for more icons, which again can be appealing to more experienced users. Another earlier use of the volume controls to control a zoom function may be useful even where icons are not associated with any kind of explanatory text at all and such an embodiment is within the scope of a further aspect of the invention.

15

10

5

Figure 10 also shows how icons can be made to overlap, thereby allowing more icons to fit onto a display without destroying legibility. This purely text based implementation is illustrated at Figure 11 for menu navigation. Zooming is also very useful when reading text, such as in a SMS message. This is shown in Figure 12.

20

25

Again, the use of the volume controls for zooming is intuitive, removes the need for additional zoom-specific keys and therefore saves cost and reduces the apparent complexity of the telephone. Arranging for the zoom In and zoom Out functions to be controlled by the volume keys is also attractive since it enables a user to perform a zoom at any stage in the navigation process (except during a call or in idle, where speaker and ringer are respectively managed by these keys). This is particularly helpful in enabling an inexperienced user to experiment with and therefore learn the structure of the navigation system.

The zoom function may alter in dependence on the selected mode or function of the mobile telephone to give one or more zoom settings optimised for the selected mode or function. For example, when editing text, the zoom can magnify an amount that is most relevant to seeing text clearly (and multiple zoom settings can be provided and accessed through multiple nudges of the zoom button). A different zoom amount may be appropriate for zooming into the normal icon based menus, and another for zooming into text only menus. The zoom function works particularly well with the mobile telephone of the first aspect of the present invention.

5

15

20

25

30

- The data representing an icon is stored in memory; the same data can be used to display the icon at normal size (typically 16x16 pixels) and also at one or more different sizes, such as an extended size (64x64) using a software algorithm. This scalability removes the need to store multiple representations in memory, which is a valuable resource.
  - Figure 13 shows the idle screen: the idle screen alternates with an alert screen, such as a Missed SMS screen, or a Voice Mail screen or a Missed Call Alert. This leads to the layout of the idle screen not being cluttered with any kind of alert messages: conventionally, an alert message will be included together with the idle screen (e.g. 'I missed call'; 'You have a SMS'), but that clutters the screen and can obscure important branding information. In the present embodiment, the idle screen is shown for 5 seconds, and then an alert screen for 5 seconds if there are any alerts, as illustrated in Figure 13. The screens alternate until the user reads or reviews the alert screen by pressing OK on the joystick. The phone will then display a static alert screen with one icon for every pending event (missed call, received SMS, ...). In Figure 13, the alert screen shows the Missed Call icon. This can be accompanied with the words "Missed Call'.

Accessing the alert screen can take the user directly to the menu(s) which allow the user to respond to the alert. Hence, if the alert is that a SMS message has come in, once the user has seen that alert screen, is he offered a direct route into reading the message and/or responding to the message.

### Appendix 1

Top level	Second level	Third level functions	Fourth level functions
functions	functions	(Words only, unless	(Words only, unless
	(all icons are task	otherwise stated)	otherwise stated)
	specific)		
Phone Book	Icon + word	Open up address book	
Icon + words	'Consult'		
'Phone book'			
	Icon + word 'Draft'	Enter Name	
	Icon + words 'Own	Display Own number	
	Number'		
	Icon + word	Displays storage info	
	'Capacity'		
	Icon + word	Enter restrictions PIN	
	'Restrict'		
	Icon + word	Enter your business card	
	'Business Card'	details	
Message Icon +	Icon + words 'Write	Create New	Write Message
word	Message <sup>*</sup>		
'Messages'			
		Use pre-defined	Select a pre-define
			message
	Icon + words 'In	List in-coming messages	
	Box'		
	Icon + words 'Out-	List outgoing messages	
	Box'		,
	Icon + words	Displays storage info	

	'Capacity'		
	Icon + word 'Settings'	Service Center	Message Center Number
	9	Validity Period	Select validity period option
		Message type	Select message type (e.g. fax, e-mail, x400, standard text, telex
		Delivery Report	Select 'on' or 'off' options
		Reply via same	Select 'on' or 'off' options
		Melody	Select Melody option
	Icon + words 'Cell Broadcast'	Receive CB	Select cell broadcast 'on' or 'off'
Call Register Icon + words 'Call Register'	Icon + words 'Missed Calls'	Lists missed calls	
	Icon + words 'Received calls'	Lists received calls	
	Icon + words 'Dialled calls'	Lists dialled calls	Send message to; Call number; Forward calls to; Save number; Options to select; then takes you to appropriate screen
	Icon + words 'Delete'	Lists Missed calls, Received calls, Dialled Calls, All Calls	

Counters Icon +	Icon + word 'Time'	Last call; all calls out; all	Displays time count data
word 'Counters'	100.1	calls in; Clear timers	
Divert Icon +	Unconditional; all	Activate; de-activate and	Voice, fax, data all
word 'Divert'	unanswered; if busy,	status check	options to select, then
word Divert		Status Check	takes you to phone book
	if no reply; if not		to select number to
	reachable		receive diversions
			receive diversions
Settings Icon +	Icon + word	List of various language	
word 'Settings'	'Language'	options to select	
	Icon + words 'Alert	Icon + words 'Melodies'	All cases; number stored;
	tones'		Number not stored;
			messages; Alarm to be
			selected; then gives list
			of melodies to select
		Icon + words 'Key	On, Off and DTMF tones
		Tones'	to be selected
		Icon + words 'Deep	On or off to be selected
		Silent'	
		Icon + words 'Ringer	3 ranges to be selected
		Volume`	
	Icon + words 'Auto	On or off to be selected	
	key lock'		
	Icon + word	Change PIN and Disable	Enter PIN required
	'Security'	PIN options	
	Icon + word 'Time	Displays time and Date	Alter time and date
	& Date'		1
	Icon + word 'Auto	On or off to be selected	
	-answer'		,
	Icon + word 'Hot	Lists hot keys	
L	<u> </u>		

	keys'		
	Icon + word	Select 1 – 3 contrast	
	'Contrast'	scale	
Network Icon +	Icon + word	Barring	Select outgoing,
word 'Network'	'Services'		incoming, barring
			password
		Call waiting	Activate, de-activate,
			status check
		Identification	See caller ID; call
			incognito; see connected
			ID; connect incognito;
			status check
	Auto-redial	On or off to be selected	
	Change network		,
	Preferred networks	Lists preferred networks	
	Registration mode	Lists automatic, manual,	
		force network	
Demonstration	Give a demo of the		
Icon + word	phone		
'Demonstration'			
Tools Icon +	Calculator; calendar,		
word 'Tools'	games		
IrDA Icon +	Activation option		
words 'IrDA			
Activation'			

#### Claims

5 1. A mobile telephone comprising:

computing means for storing representations of one or more icons; and a display operable to be controlled by the computing means to display one or more icons:

characterised in that the display is operable to show an array of several icons, the
arrangement of the array altering as a user navigates through the array in a manner that
visually indicates that the status of the computing means is such that the function
associated with a single icon can be selected or initiated.

- 2. The mobile telephone of Claim 1 in which the array is a linear array of icons and a selectable icon is at a prominent position within the array.
  - 3. The mobile telephone of Claim 2 in which the selectable icon has displayed in proximity to it a word or words describing the function of the icon.
- 20 4. The mobile telephone of Claim 1 in which the icons in the array are animated so that their positions on the display alter as a user navigates through them.
  - 5. The mobile telephone of Claim 2 in which the icons in the linear array are animated to appear to move forward along the line of the array as different icons become selectable.
  - 6. The mobile telephone of Claim 1 in which selecting an icon in an array causes some or all of the other icons to alter temporarily or permanently in appearance and/or position.

25

15

10


30


7. The mobile telephone of Clai n 6 in which the alteration is an animation in which the other icons appear to twist or revolve and turn into different icons.

17

- 8. The mobile telephone of Claim 1 in which several icons are displayed at the same time but only a single active icon has an accompanying word or words.
  - 9. The mobile telephone of Claim 1 in which there is provided a zoom function by which a user can cause the size of the icon and/or the word or words explaining the function of that icon displayed on the display to be altered.
  - 10. The mobile telephone of Claim 9 in which the zoom function is controlled by a volume up and a volume down button.
- 11. The mobile telephone of any preceding Claim in which the user can select that the word or words explaining the function of one or more icons is/are not displayed.
  - 12. The mobile telephone of Claim 1 in which data representing an icon is stored in a memory and the same data can be used to display the icon at two or more different sizes.
- 20 13. A mobile telephone comprising: computing means for storing representations of one or more icons; and a display operable to be controlled by the computing means to display one or more icons;
- characterised in that the display is operable to show an array of several icons, the
  appearance and/or position of some or all of the icons in the array altering as a user selects an icon to visually indicate that the status of the computing means is changing.
  - 14. The mobile telephone of Claim 13 in which the alteration is an animation in which some or all of the icons appear to twist or revolve and turn into different icons.

- 15 A mobile telephone in which the idle screen alternates with an alert screen, each screen appearing for a pre-determined time.
- 16. The mobile telephone of Claim 13 in which accessing the alert screen can take the user directly to the menu(s) which allow the user to respond to the alert.











FIG. 3

**SUBSTITUTE SHEET (RULE 26)** 









#### **SUBSTITUTE SHEET (RULE 26)**

3/5





NAVIGATING FURTHER THROUGH THE SECOND LEVEL SCREEN: ONE MORE NUDGE OF THE

JOYSTICK DOWN



FIG. 8






FIG. 9



NAVIGATING
THROUGH THE
SECOND LEVEL
SCREEN: ONE NUDGE
OF THE JOYSTICK
BACK UP AGAIN








FIG. 11

#### **SUBSTITUTE SHEET (RULE 26)**




FIG. 13

ALERT SCREEN

ALERT SCREEN

I

MISSED VOICE CALL

### (19) World Intellectual Property Organization International Bureau





## (43) International Publication Date 23 August 2001 (23.08.2001)

#### **PCT**

## (10) International Publication Number WO 01/61443 A3

(51) International Patent Classification<sup>7</sup>: H04M 1/247

(21) International Application Number: PCT/GB01/00665

(22) International Filing Date: 16 February 2001 (16.02.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 0003943.8

18 February 2000 (18.02.2000) GF

(71) Applicant (for all designated States except US): VTECH MOBILE LIMITED [GB/GB]: The Friary, Rickfords Hill, Aylesbury, Buckinghamshire HP20 2RT (GB).

- (72) Inventor; and
- (75) Inventor/Applicant (for US only): DE BAST, Christophe [FR/GB]; 15 Briars Close, Aylesbury, Buckinghamshire HP19 9PN (GB).
- (74) Agent: LLOYD, Patrick, Alexander, Desmond; Reddie & Grose, 16 Theobalds Road, London WC1X 8PL (GB).


- (81) Designated States (national): AE. AG. AL. AM. AT. AU. AZ. BA. BB. BG. BR. BY. BZ. CA. CH. CN. CR. CU. CZ. DE. DK. DM. DZ. EE. ES. FI. GB. GD. GE. GH. GM. HR. HU. ID. IL. IN. IS. JP. KE. KG. KP. KR. KZ. LC. LK. LR. LS. LT. LU. LV. MA. MD. MG. MK. MN. MW. MX. MZ. NO. NZ. PL. PT. RO. RU. SD. SE. SG. SI. SK. SL. TJ. TM. TR. TT. TZ. UA. UG. US. UZ. VN. YU. ZA. ZW.
- (84) Designated States (regional): ARIPO patent (GH. GM. KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, Fl, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


#### Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report: 2 May 2002

[Continued on next page]


(54) Title: MOBILE TELEPHONE WITH IMPROVED MAN MACHINE INTERFACE





(57) Abstract: The present invention envisages a GSM mobile telephone in which a line of icons is displayed on a display. As a user navigates through the displayed line of icons, the positions of the icons alter so that the selectable icon moves to the head of the line. This approach makes it very clear (i) which icon is selectable at any time and (ii) where that icon sits in relation to other icons at the same functional level (e.g. only first level icons will be present in one line). First level icons typically relate to the following functions: phonebook: messages; call register; counters; call diversion; telephone settings; network details; tools; voice mail and IrDA activation.

8





For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

#### IFTERNATIONAL SEARCH REPORT



A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H04M1/247 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 HO4M G06F G06K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, PAJ, WPI Data C. DOCUMENTS CONSIDERED TO BE RELEVANT Category \* Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X EP 0 727 730 A (IBM) 1-14 21 August 1996 (1996-08-21) abstract column 3, line 25-39 column 3, line 50-53 column 5, line 41 -column 7, line 48 column 8, line 54 -column 10, line 4 figures 1-6 Χ Further documents are listed in the continuation of box C X Patent family members are listed in annex. Special categories of cited documents: 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled document published prior to the international filing date but tater than the priority date claimed in the art. "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 27 February 2002 05/03/2002 Name and mailing address of the ISA Authorized officer

Golzio, D

3

European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016

#### INTERNATIONAL SEARCH REPORT

onal Application No

legory °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.	
	or the relevant passages	neevani to ciaim No.	
(	WO 99 37075 A (KRAVITZ SCOTT ;MUGURA KAZUTO (US); SCIAMMARELLA EDUARDO (US); SONY) 22 July 1999 (1999-07-22) abstract page 7, line 2-10 page 7, line 11 -page 8, line 24 page 9, line 8-11 page 10, line 8-21 page 11, line 8-17 figures 1-14	1,2,4-6, 12,13	
	rigules I 14	3,9,11,	
	<del></del>	15,16	
Y	WO 98 30004 A (ERICSSON GE MOBILE INC) 9 July 1998 (1998-07-09) abstract page 2, line 31 -page 3, line 15 page 4, line 3-22 page 6, line 21 -page 8, line 14 figures 1-5	3,9,11, 15,16	
<b>(</b>	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 01, 29 January 1999 (1999-01-29) -& JP 10 269022 A (HITACHI LTD), 9 October 1998 (1998-10-09) abstract; figures 1,2	1,13	
(	EP 0 880 090 A (NOKIA MOBILE PHONES LTD) 25 November 1998 (1998-11-25) abstract column 4, line 3 -column 12, line 36 figures 2,3,5	1,13	
(	US 5 550 969 A (FLEMING STEPHEN S ET AL) 27 August 1996 (1996-08-27) abstract column 2, line 44 -column 4, line 9 figures 1-5	1,13	

## INTERNATIONAL SEARCH REPORT

Ir. nal Application No
PC GB 01/00665

	atent document I in search report		Publication date		Patent family member(s)	Publication date
EP	0727730	A	21-08-1996	US AT DE EP ES JP KR US	5565888 A 205945 T 69615236 D1 0727730 A2 2161924 T3 8263248 A 209841 B1 5736974 A	15-10-1996 15-10-2001 25-10-2001 21-08-1996 16-12-2001 11-10-1996 15-07-1999 07-04-1998
WO	9937075	Α	22-07-1999	AU WO	1810099 A 9937075 A1	02-08-1999 22-07-1999
WO	9830004	A	09-07-1998	US AU WO	6047197 A 5727298 A 9830004 A1	04-04-2000 31-07-1998 09-07-1998
JP	10269022	Α	09-10-1998	NONE		
EP	0880090	Α	25-11-1998	US EP JP	6073036 A 0880090 A2 11027368 A	06-06-2000 25-11-1998 29-01-1999
US	5550969	A	27-08-1996	CA EP JP JP JP	2052768 A1 0488925 A2 1954208 C 4267426 A 6085145 B	29-05-1992 03-06-1992 28-07-1995 24-09-1992 26-10-1994

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

#### IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.